

MYCOLOGIA

OFFICIAL ORGAN OF THE MYCOLOGICAL SOCIETY OF AMERICA

VOLUME XLVII, 1955

CONSISTING OF V + 940 PAGES,
INCLUDING FIGURES

LANCASTER PRESS, INC., LANCASTER, PA.

TABLE OF CONTENTS

No. 1. JANUARY-FEBRUARY

Some observations and comments on the Laboulbeniales, LELAND SHANOR . . .	1
The nutrition of <i>Schizosaccharomyces pombe</i> , ILDA McVEIGH AND EVERETT BRACKEN	13
The effects of humidity, temperature and carbon dioxide on sporulation of <i>Choanephora cucurbitarum</i> , H. L. BARNETT AND VIRGIL GREENE LILLY . . .	26
Biological activity of p-methoxytetrachlorophenol, MARJORIE ANCHEL, ANNETTE HERVEY AND WILLIAM J. ROBBINS	30
Fungi in air over the Atlantic ocean, S. M. PADY AND L. KAPICA	34
Endogone in Canadian rodents, ELEANOR SILVER DOWDING	51
Wood-staining fungi associated with bark beetles in Engelmann spruce in Colorado, ROSS W. DAVIDSON	58
New species and varieties of <i>Aspergillus</i> , DOROTHY I. FENNELL AND KENNETH B. RAPER	68
Index to the Helicosporae, ROYALL T. MOORE	90
A new species of <i>Elsinoë</i> on southern magnolia, JULIAN H. MILLER AND ANNA E. JENKINS	104
Two new species of <i>Physoderma</i> from India, B. T. LINGAPPA	109
Taxonomy of the species of <i>Isoachlya</i> possessing single oospores, T. W. JOHNSON, JR. AND JACQUELINE SURRETT	122
<i>Synchytrium ranunculi</i> Cook, JOHN S. KARLING	130
An index to L. O. Overholts' Mycological Notes, CHARLES L. FERGUS	140
Notes and Brief Articles	145
Reviews	150

No. 2. MARCH-APRIL

Growth substance requirements of <i>Stereum Murrayi</i> , WILLIAM J. ROBBINS AND ANNETTE HERVEY	155
The development of the ascocarp in <i>Pseudoplea Gaeumannii</i> , LEWIS E. WEHMEYER	163
Gametogenesis and oospore formation in <i>Sclerospora</i> species on <i>Sorghum vulgare</i> , K. M. SAFEELULAH AND M. J. THIRUMALACHAR	177
Resting spore germination in <i>Synchytrium australe</i> in relation to its classification, JOHN S. KARLING	185
The genus <i>Circinella</i> , C. W. HESSELTINE AND DOROTHY I. FENNELL	193
Perennial polypores of North America III. <i>Fomes</i> with context white to rose, JOSIAH L. LOWE	213
Species of <i>Puccinia</i> on <i>Salvia</i> in Europe, Asia and Africa, JOHN W. BAXTER . .	225
A new species of <i>Penicillium</i> from soil, PHILIP A. ORPURT AND DOROTHY I. FENNELL	233
A reclassification of the genus <i>Pericystis</i> Betts, CHARLES F. SPILTOIR AND L. S. OLIVE	238

A new species of <i>Stylopaga</i> capturing nematodes, C. L. DUBDINGTON	245
Some leafspot fungi on western Gramineae—VIII, RODERICK SPRAGUE	249
Vera K. Charles, EDITH K. CASH	263
Notes and Brief Articles	266

No. 3. MAY-JUNE

Physiology of the wood-rotting Basidiomycetes. I. Growth and nutrition in submerged culture in synthetic media, MARSHALL W. JENNISON, MELVA DERRICK NEWCOMB AND RICHARD HENDERSON	275
The effect of cortisone, somatotrophic hormone, and piromen on experimental moniliasis in mice, GEORGE H. SCHEER	305
A sexual hormone in <i>Glomerella</i> , C. H. DRIVER AND H. E. WHEELER	311
Compatibility and variability in <i>Merulius americanus</i> , SHUH-WEI HWANG	317
Studies on baker's yeasts of East Pakistan, MAJEED AHMAD AND ABDUL AZEEZ KHAN	329
Hyphal fusion between <i>Trichophyton tonsurans</i> variants as an indication of species relationships, CLAIRE L. TASCHDJIAN AND EMANUEL MUSKATBLITT	339
Genera of <i>Mucorales</i> with notes on their synonymy, C. W. HESSELTINE	344
Additional species of <i>Zoopagaceae</i> subsisting on rhizopods and eelworms, CHARLES DRECHSLER	364
Studies in the genus <i>Sporonema</i> , DONALD P. LIMBER	389
A new <i>Rhizoctonia</i> from El Salvador associated with root rot of coffee, BOWEN S. CRANDALL AND JAIME GUISCAFRE ARILLAGA	403
<i>Aporpium</i> , a polyporoid genus of the <i>Tremellaceae</i> , ALCIDES RIBEIRO TEIXEIRA AND DONALD P. ROGERS	408
A new species of <i>Chaetocerotostoma</i> , W. M. FARROW	416
Notes and Brief Articles	420

No. 4. JULY-AUGUST

The production and selection of a family of strains in <i>Penicillium chrysogenum</i> , M. P. BACKUS AND J. F. STAUFFER	429
Hydroxylation of steroids, principally progesterone, by a strain of <i>Aspergillus ochraceus</i> , EUGENE L. DULANEY, EDWARD O. STAPLEY AND CHARLES HLAVAC	464
The nutrition of <i>Trichophyton tonsurans</i> , HAROLD E. SWARTZ AND LUCILLE K. GEORG	475
Further studies relating to dominance and ascus abortion in <i>Neurospora tetrasperma</i> , B. O. DODGE	494
<i>Trichophyton mentagrophytes</i> isolated from the soil of caves, H. I. LURIE AND R. BOROK	506
The ascostromatic Ascomycetes, E. S. LUTTRELL	511
Observations on <i>Gymnoascaceae</i> . I. <i>Myxotrichum uncinatum</i> and a new species of <i>Myxotrichum</i> , HAROLD H. KUEHN	533
Additions to the <i>Phycomycete</i> flora of the Douglas Lake region. I. New taxa and records, F. K. SPARROW AND MARGARET E. BARR	546
New species of <i>Galerina</i> , ALEXANDER H. SMITH AND ROLF SINGER	557
Leo Roy Tehon. 1895-1954, LELAND SHANOR	597

TABLE OF CONTENTS

v

Notes and Brief Articles	602
Reviews	614

No. 5. SEPTEMBER-OCTOBER

Relation of a large soil-borne spore to phycomycetous mycorrhizal infections, J. W. GERDEMANN	619
The morphology and nutrition of a new species of <i>Sirolopidium</i> , HELEN S. VISHNIAC	633
Biosynthetic potentialities of higher fungi, WILLIAM D. GRAY AND WILLIAM R. BUSHNELL	646
The preservation of dermatophytes at sub-freezing temperatures, ESTHER MEYER	664
Ascocarps of <i>Aspergillus</i> and <i>Pericillium</i> , CHESTER R. BENJAMIN	669
The host specialization of <i>Erysiphe cichoracearum</i> from zinnia, phlox and cucurbits, JOHN A. SCHMITT, JR.	688
Observations on asexual and sexual reproductive structures of the <i>Choanephoro-</i> <i>raceae</i> , ADRIAN W. POITRAS	702
Capillitial development in the Myxomycetes <i>Badhamia gracilis</i> and <i>Didymium</i> <i>Iridis</i> , ARTHUR L. WELDEN	714
Some fungi on Orchidaceae, EDITH K. CASH AND ALICE J. WATSON	729
Two new species of <i>Chaetomium</i> and one new <i>Humicola</i> species, AASA OMVIK	748
Notes on myriangiaceous fungi. I, M. J. THIRUMALACHAR AND M. J. NARA- SIMHAN	758
New and interesting species of Basidiomycetes. IV, ROLF SINGER	763
Reviews	778

No. 6. NOVEMBER-DECEMBER

Are fungi plants?, G. W. MARTIN	779
The cardinal temperatures and pH response of <i>Thielaviopsis basicola</i> , G. B. LUCAS	793
Yeasts isolated from <i>Drosophila</i> and their suspected feeding places in southern and central California, A. M. EL TABEY SHEHATA, E. M. MRAK AND H. J. PFAFF	799
Cultural and interfertility studies in <i>Aporpium caryae</i> , RUTH MACRAE	812
Development of the ascostroma in <i>Pleospora armeriae</i> of the <i>Pleospora her-</i> <i>barum</i> complex, LEWIS E. WEHMEYER	821
Some leafspot fungi on western Gramineae. IX, RODERICK SPRAGUE	835
North American hyaline-spored species of the <i>Geoglossaceae</i> , E. B. MAINS ..	846
Observations on <i>Gymnoascaceae</i> . II. Two new species of <i>Myxotrichum</i> , HAROLD H. KUEHN	878
The genus <i>Mylittopsis</i> , DONALD P. ROGERS AND G. W. MARTIN	891
A new species of <i>Cephalosporium</i> , S. B. SAKSANA	895
A new genus in the <i>Aspergillaceae</i> , FLOYD M. CLUM	899
A note on <i>Clitocybe adirondakensis</i> , HOWARD E. BIGELOW	902
John Dearness, W. F. TAMBLYN	909
Notes and Brief Articles	916
Reviews	923
Index to Vol. XLVII	925

INDEX TO VOLUME XLVII *

INDEX TO AUTHORS AND TITLES

- Ahmad, Majeed, and Abdul Azeez Khan.** Studies on baker's yeasts of East Pakistan 329
- Anchel, Marjorie, Annette Hervey, and William J. Robbins.** Biological activity of *p*-methoxytetrachlorophenol 30
- Arillaga, Jaime Guiscafne.** See Crandall and Arillaga 403
- Backus, M. P., and J. F. Stauffer.** The production and selection of a family of strains in *Penicillium chrysogenum* 429
- Bandoni, R. J.** A new species of *Helicobasidium* 918
- Barnett, H. L., and Virgil Greene Lilly.** The effects of humidity, temperature and carbon dioxide on sporulation of *Choanephora cucurbitarum* 26
- Barr, Margaret E.** See Sparrow and Barr 546
- Baxter, John W.** Species of *Puccinia* on *Salvia* in Europe, Asia and Africa 225
- Benjamin, Chester R.** Ascocarps of *Aspergillus* and *Penicillium* 669
- Bigelow, Howard E.** A note on *Clitocybe adirondackensis* 902
- Borok, R.** See Lurie and Borok 506
- Bracken, Everett.** See McVeigh and Bracken 13
- Brodie, Harold J.** *Cyathus gayanus* from Costa Rica 266
- Bushnell, William R.** See Gray and Bushnell 646
- Carmichael, J. W.** Lacto-fuchsin: a new medium for mounting fungi 611
- Cash, Edith K.** Vera K. Charles 263
- , and Alice J. Watson. Some fungi on Orchidaceae 729
- Clum, Floyd M.** A new genus in the Aspergillaceae 899
- Crandall, Bowen S., and Jaime Guiscafne Arillaga.** A new *Rhizoctonia* from El Salvador associated with root rot of coffee 403
- Davidson, Ross W.** Wood-staining fungi associated with bark beetles in Engelmann spruce in Colorado 58; cf. 274
- Dodge, B. O.** Further studies relating to dominance and ascus abortion in *Neurospora tetrasperma* 494
- Dowding, Eleanor Silver.** *Endogone* in Canadian rodents 51; cf. 274
- Drechsler, Charles.** Additional species of Zoopagaceae subsisting on rhizopods and eelworms 364
- Driver, C. H., and H. E. Wheeler.** A sexual hormone in *Glomerella* 311
- Duddington, C. L.** A new species of *Stylopage* capturing nematodes 245
- Dulaney, Eugene L., A. H. Larsen, and E. O. Stapley.** A note on the isolation of microorganisms from natural sources 420
- , Edward O. Stapley, and Charles Hlavac. Hydroxylation of steroids, principally progesterone, by a strain of *Aspergillus ochraceus* 464
- Farrow, W. M.** A new species of *Chaetocerotostoma* 416

* This index prepared by Eleanor Ruggeri Cioffi.

- Fennell, Dorothy I., and Kenneth B. Raper.** New species and varieties of *Aspergillus* 68
— See Hesselstine and Fennell 193
— See Orpurt and Fennell 233
- Fergus, Charles L.** An index to L. O. Overholts' Mycological Notes 140
- Georg, Lucille K.** See Swartz and Georg 475
- Gerdemann, J. W.** Relation of a large soil-borne spore to phycomycetous mycorrhizal infections 619
— Wound-healing of hyphae in a phycomycetous mycorrhizal fungus 916
- Gray, William D., and William R. Bushnell.** Biosynthetic potentialities of higher fungi 646
- Guba, Emil F.** *Monochaetia* and *Pestalotia* 920
- Hacskeylo, Edward, and John Gilbert Palmer.** Hymenomycetous species forming mycorrhizae with *Pinus virginiana* 145
- Henderson, Richard.** See Jennison, Newcomb, and Henderson 275
- Hervey, Annette.** See Anchel, Hervey, and Robbins 30
— See Robbins and Hervey 155
- Hesselstine, C. W.** Genera of Mucorales with notes on their synonymy 344
—, and Dorothy I. Fennell. The genus *Circinella* 193
- Hlavac, Charles.** See Dulaney, Stapley, and Hlavac 464
- Hwang, Shu-Wei.** Compatibility and variability in *Merulius americanus* 317
— Ageotropic sporangiophore control for cultures of *Phycomyces* 611
- Jenkins, Anna E.** See Miller and Jenkins 104
- Jennison, Marshall W., Melva Derrick Newcomb, and Richard Henderson.** Physiology of the wood-rotting Basidiomycetes. I. Growth and nutrition in submerged culture in synthetic media 275
- Johnson, T. W., Jr.** *Enerthenema berkeleyanum* 608
—, and Jacqueline Surratt. Taxonomy of the species of *Isoachlya* possessing single oospores 122
- Kapica, L.** See Pady and Kapica 34
- Karling, John S.** *Synchytrium ranunculi* Cook 130
— Resting spore germination in *Synchytrium australe* in relation to its classification 185
- Khan, Abdul Azeez.** See Ahmad and Khan 329
- Kuehn, Harold H.** Observations on Gymnoascaceae. I. *Myxotrichum uncinatum* and a new species of *Myxotrichum* 533
— Observations on Gymnoascaceae. II. Two new species of *Myxotrichum* 878
- Larsen, A. H.** See Dulaney, Larsen, and Stapley 420
- Lilly, Virgil Greene.** See Barnett and Lilly 26
- Limber, Donald P.** Studies in the genus *Sporonema* 389
- Lingappa, B. T.** Two new species of *Physoderma* from India 109
- Lowe, Josiah L.** Perennial polypores of North America. III. *Fomes* with context white to rose 213
- Lucas, G. B.** The cardinal temperatures and pH response of *Thielaviopsis basicola* 793
- Lurie, H. I. and R. Borok.** *Trichophyton mentagrophytes* isolated from the soil of caves 506
- Luttrell, E. S.** *Helminthosporium flagelloideum* 268
— The ascostromatic Ascomycetes 511

- Macrae, Ruth.** Cultural and interfertility studies in *Aporpium caryae* 812
- Mains, E. B.** North American hyaline-spored species of the Geoglosseae 846
- Martin, G. W.** On *Sphaeroderma episphearia* 606
— Are fungi plants? 779
— See Rogers and Martin 891
- McClung, Norvel M.** A method for testing paraffin utilization by microorganisms 424
- McVeigh, Ilda, and Everett Bracken.** The nutrition of *Schizosaccharomyces pombe* 13
- Meyer, Esther.** The preservation of dermatophytes at sub-freezing temperatures 664
- Mielke, James L.** Refrigerator storage prolongs aeciospore color and viability 149
- Miller, Julian H., and Anna E. Jenkins.** A new species of *Elsinoë* on southern magnolia 104
- Moore, Royal T.** Index to the Helicosporae 90; cf. 274
- Morris, Everett F.** A new genus of Dematiaceae 602
- Mrak, E. M.** See Shehata, Mrak, and Pfaff 799
- Murrill, W. A.** A new species of *Amanita* from Florida 427
- Muskatblitt, Emanuel.** See Taschdjian and Muskatblitt 339
- Narasimhan, M. J.** See Thirumalachar and Narasimhan 758
- Newcomb, Melva Derrick.** See Jennison, Derrick, and Henderson 275
- Olive, L. S.** See Spiltoir and Olive 238
- Omvik, Aasa.** Two new species of *Chaetomium* and one new *Humicola* species 748; cf. 922
- Orpurt, Philip A., and Dorothy I. Fennell.** A new species of *Penicillium* from soil 233
- Pady, S. M., and L. Kapica.** Fungi in air over the Atlantic Ocean 34
- Palmer, John Gilbert.** See Hacskeylo and Palmer 145
- Paterson, R. A.** See Sparrow and Paterson 272
- Pfaff, H. J.** See Shehata, Mrak, and Pfaff 799
- Poitras, Adrian W.** Observations of asexual and sexual reproductive structures of the Choanephoraceae 702
- Raper, Kenneth B.** See Fennell and Raper 68
- Robbins, William J.** See Anchel, Hervey, and Robbins 30
—, and Annette Hervey. Growth substance requirement of *Stercum Murraii* 155
- Rogers, Donald P.** See Teixeira and Rogers 408
—, and G. W. Martin. The genus *Myliopsis* 891
- Safeeula, K. M., and M. J. Thirumalachar.** Gametogenesis and oospore formation in *Sclerospora* species on *Sorghum vulgare* 177
- Saksena, S. B.** A new species of *Cephalosporium* 895
- Scherr, George H.** The effect of cortisone, somatotrophic hormone, and piromen on experimental moniliasis in mice 305
- Schmitt, John A., Jr.** The status of the name *Erysiphe cichoracearum* DC. 422
— The host specialization of *Erysiphe cichoracearum* from zinnia, phlox and cucurbits 688
- Shanor, Leland.** Some observations and comments on Laboulbeniales I
—, Leo Roy Tehon. 1895-1954 597

- Shehata, A. M. El Tabey, E. M. Mrak, and H. J. Pfaff.** Yeasts isolated from *Drosophila* and from their suspected feeding places in southern and central California 799
- Singer, Rolf.** The nomenclature of *Armillaria*, *Hypholoma* and *Entoloma* 147
—, *Staupe redivivus* 270
—, New and interesting species of Basidiomycetes. IV. 763
—, See Smith and Singer 557
- Smith, Alexander H., and Rolf Singer.** New species of *Galerina* 557
- Sparrow, F. K., and R. A. Paterson.** A note concerning *Rhizidiopsis* and *Podochytrium* 272
—, and Margaret E. Barr. Additions to the Phycomycete flora of the Douglas Lake region. I. New taxa and records 546
- Spiltoir, Charles F., and L. S. Olive.** A reclassification of the genus *Pericystis* Betts 238
- Sprague, Roderick.** Some leafspot fungi on western Gramineae. VIII 249
—, Some leafspot fungi on western Gramineae. IX 835
- Stapley, E. O.** See Dulaney, Larsen, and Stapley 420
—, See Dulaney, Stapley, and Hlavac 464
- Stauffer, J. F.** See Backus and Stauffer 429
- Swartz, Harold E., and Lucille K. Georg.** The nutrition of *Trichophyton tonsurans* 475
- Surratt, Jacqueline.** See Johnson and Surratt 122
- Tamblyn, W. F.** John Dearnness 909
- Taschdjian, Claire L., and Emanuel Muskatblitt.** Hyphal fusion between *Trichophyton tonsurans* variants as an indication of species relationships 339
- Teixeira, Alcides Ribeiro, and Donald P. Rogers.** *Aporpium*, a polyporoid genus of the Tremellaceae 408
- Thirumalachar, M. J.** See Safeula and Thirumalachar 177
—, and M. J. Narasimhan. Notes on myriangiaceous fungi. I. 758
- Vishniac, Helen S.** The morphology and nutrition of a new species of *Sirolopidium* 633
- Watson, Alice J.** See Cash and Watson 729
- Wehmeyer, Lewis E.** The development of the ascocarp in *Pseudoplea Gacumannii* 163
—, Development of the ascostroma in *Pleospora armeriae* of the *Pleospora herbarum* complex 821
- Welden, Arthur L.** Capillitial development in the Myxomycetes *Badhamia gracilis* and *Didymium Iridis* 714
- Wheeler, H. E.** See Driver and Wheeler 311

INDEX TO BIOGRAPHIES, REVIEWS, AND NOTICES

- Arx, J. A. von, and Emil Müller.** Die Gattungen der amerosporen Pyrenomyceten; review 151
- Asahina, Y.** See Ogura, Y. 153
- Barnett, H. L.** Illustrated Genera of Imperfect Fungi; review 616
Biologia; notice 922
- Charles, Vera K.;** biographical note and bibliography 263
- Chupp, Charles.** A Monograph of the Fungus Genus *Cercospora*; review 778

- Dearness, John**; biography and bibliography 909
- Funder, Sigurd**. Practical Mycology. Manual for Identification of Fungi; review 153
- Gilkey, Helen M.** Tuberales; notice 428
- Hazen, Elizabeth L., and Frank Curtis Reed**. Laboratory Identification of Pathogenic Fungi Simplified; review 923
- International Society for Human and Animal Mycology; notice 612
- Kobayashi, Y.** See Ogura, Y. 153
- Laboratory Refresher Training Courses; notice 613
- Le Gal, Marcel**. Les Discomycètes de Madagascar; review 150
- Lohwag, Kurt**. Erkenne und Bekämpfe den Hausschwamm und seiner Begleiter; review 923
- Lund, Aage**. Studies on the Ecology of Yeasts; review 617
- Moreau, Fernand**. Les Champignons. Tome II. Systematique; review 614
- Müller, Emil**. See Arx, J. A. von 151
- Ogura, Y. et al.** Scientific researches of the Ozegahara Moor; review 153
- Overholts, L. O.**; index to Notes 140
- Reed, Frank Curtis**. See Hazen, Elizabeth L. 923
- Roger, L.** Phytopathologie des Pays Chauds, vol. III; review 778
- Sasaki, T.** See Ogura, Y. 153
- Sterling, Dorothy**. The Story of Mosses, Ferns and Mushrooms; review 924
- Tehon, Leo Roy**; biography and bibliography 597
- Torrey Botanical Club, Bulletin, 75-volume index; notice 921
- Tsubaki, K.** See Ogura, Y. 153

INDEX TO TAXA

New taxa and the pages where they appear are in **bold face type**. An attempt has been made to correct mistakes in the spelling of scientific names where such occur in the text.

- Absidia* 205, 208, 349, 352, 358; *butleri* 358; *reflexa* 349
- Acanthostigmella* *genuflexa* 101, 102; *thaxteri* 95
- Acaulopage* ***bicornis*** 364, **369**, 371, 373, 375; *crobylospora* 371, 373, 375; ***dasy-***
spora 365, 366, 369; ***dactylophora*** 364, **367**, 369, 371; *hystricospora* 366, 369; ***longicornis*** 364, **371**, 373, 375
- Achlya* 315, 635
- Acremoniella* 254, 259-261; *atra* 260; *occulta* 260; *verrucosa* 260
- Acrocystis* 361
- Acrospeira* 91
- Acrospermum* 526
- Actinocephalum* 360
- Actinomuor* 349, 362; *repens* 349
- Actinomyces* 38, 39, 42, 49
- ACurtis* 147-149
- Agaricus* 270, 271; *adirondackensis* 902, 906; *hydrogrammus* 906, 907; *lateritis* 147; *melleus* 148; *mycenoides* 575; *placomycetes* 648, 652, 661; *rodmani* 648, 653, 657
- Albugo* 177, 179, 182, 183; *ipomoeae-panduratae* 179
- Allomyces* 535
- Alphitomorpha* *communis* 423, 424; *communis* * *cichoracearum* 423; *communis* v. *cichoracearum* 423; *communis* v. *graminearum* 423; *communis* v. *labiatarum* 423; *communis* α *leguminosarum* 423
- Alternaria* 38, 39, 42, 44, 45, 48, 269, 270; *dauci* 269; ***flagelloidea*** 270; *linicola* 269; *oleracea* 33
- Amanita* 147, 427; *caesarea* 145, 648, 654, 657; *frostiana* 145; ***neglecta*** 427; *rubescens* 145, 146
- Amylomyces* 351
- Angiotheca* 761, 762; *scabra* 761
- Annajenkinsia*** 760; ***fungicola*** 759, 760
- Anthopeziza* 151
- Anthostomella* 730, 731; *bromeliae* 736; ***keissleri*** 730, 731, 733; *maderensis* 731; *sphaeroidea* 731; *trabutiana* 731
- Anulospodium* *nematogenum* 91
- Aphanomycopsis* *bacillariacearum* 555

- Apiocarpella* 838
Apiosporina 833
Aporpium 408, 812; *canescens* 408, 410, 411; *caryae* 410, 411, 414, 812; *confusum* 410; *pilati* 410, 411; *rancidum* 410; *tenuiparietale* 410; *semisupinum* 410; *vulgare* 410
Arachniotus 543, 682; *trispurus* 544
Arachnomyces 900
Arcyria 714
Armillaria 147, 148; *luteovirens* 147, 148; *mellea* 147, 279-281, 292, 293, 297, 299; *straminea* 147
Armillariella 148; *mellea* 148
Arthonia 516
Arthothelium 516
Ascidophora 351
Ascochyta 253, 836, 837; *brachypodii* 836; *graminicola* v. *festucae* 836; *sorgi* 252, 836, 837; *utahensis* 253, 838
Ascocorynium 861; *irregulare* 861
Ascophanus carneus 26
Ascophora 349, 351
Ascosphaera 242, 243; *alvei* 242, 243; *apis* 240, 241, 242, 243; *apis* v. *apis* 243; *apis* v. *major* 243
Ascosphaeraceae 242
Aspergillus 38, 39, 42, 44, 49, 68, 77, 241, 464, 646, 656, 669; *amstelodami* 677; *aureolus* 71, 72-74, 88, 678; *brunneus* 675; *caespitosus* 86; *carnoyi* 675; *citrissporus* 678; *clavatus* 71, 88; *deflectus* 81, 82, 83, 89; *echinulatus* 675; *fischeri* 73, 74, 670, 678; *fischeri* v. *glaber* 74, 88; *fumigatus* 88, 678; *giganteus* 71; *glaucus* 74, 670; *janus* 86, *malignus* 74, 678; *maximus* 348; *medius* 677; *nidulans* 74, 76-80, 86, 88, 89, 670, 671, 679; *nidulans* v. *acristatus* 78, 79, 88; *nidulans* v. *echinulatus* 78, 79, 88; *niger* 31, 32, 70, 276, 300; *ochraceus* 464; *ornatus* 678; *paradoxus* 69, 70, 71, 88; *quadrinictus* 74, 678, 680; *quadrilineatus* 74; *repens* 674; *rugulosus* 680; *silvaticus* 83, 84-86, 89; *sydowi* 85, 86; *terreus* 88; *terreus* v. *africanus* 86, 87, 89; *unguis* 78, 79, 89; *ustus* 83, 89; *ustus* v. *laevis* 83; *variecolor* 80, 81, 679; *variecolor* v. *astellatus* 80, 81, 82, 89; *versicolor* 86, 89; *violaceus* 75, 76-78, 88
Aspidella 147
Atichia 516, 528
Auerswaldia 522
Auriscalpium 408
Azygites 348, 350
Azygozygum 361; *chlamydosporum* 361
Bacillus mycoides 31, 32; *subtilis* 30, 31
Badhamia 715, 719, 723, 725, 726; *gracilis* 714
Bagnisiella 522
Bdellospora helicoides 376
Berlesiella 523
Bertia moriformis 515, 526, 527
Biciliopora velutina 527
Blakeslea 359-361, 703, 707, 709, 711, 712; *trispura* 26, 29, 361, 703, 704, 707, 709-712
Blastocladia pringsheimii 555
Blyttomyces 550; *helicus* 548, 551; *laevis* 550; *spinulosus* 550
Boletinus merulioides 648, 650, 652, 657, 660
Boletus bicolor 145; *cyanescens* 648; 652; *indecisus* 648, 654; *luridus* 648, 654; *luteus* 145; *variegatus* 145
Bombardia 315
Botryosphaeria 152, 522, 524; *dothidea* 152; *quercuum* 152; *ribis* 152
Botrytis 38, 39, 42, 48, 602, 780
Brachyheliocoon 93; *xylogenum* 93
Braunea 777
Braunia 776, 777; *alba* 776
Brauniella 776, 777; *alba* 776, 777
Bulbothamnidium 354
Bulgaria inquinans 648, 654, 658, 659, 661, 663; *rufa* 648, 650, 654, 660
Byssoschlamys 542; *fulva* 542
Caecoma pusillum 839
Caliciopsis pinea 515
Calyptromyces 351
Camarosporium 743; *aequivocum* 743; **orchidicola** 742, 743
Campanella candida v. *stipitata* 765; **dendrophora** 763, 764; *simulans* 764, 765; **tenuitunicata** 764, 765
Candida 800, 801, 807, 809, 810; *albicans* 306; *catenulata* 803; *clausenii* 803, 808; *guilliermondii* 329-331, 335-337, 802; *krusei* 334, 802, 803, 808; *krusei* v. *vanlaeriana* 807; *lipolytica* 802; *monosa* 808; *mycoderma* 802, 803, 807; *parapsilosis* 802, 803, 808; *pulcherrima* 802, 803, 808; *pseudoalbicans* 808; *rugosa* 802; *tropicalis* 802; *zeylanoides* 803
Capnoides 591
Capronia 523
Carbomyces 428
Carnoya 358
Carpenteles 670, 671, 673, 683, 685, 686; *asperum* 685; *javanicum* 676, 685; **levitum** 674, 685, 686
Carpenterella 120, 121
Caulogaster 351
Cenococcum graniforme 145, 146

- Cephalosporium 38, 42, 49, 895; **roseo-griseum** 895
 Cephalotheca 900
 Cephalothecium 38, 42, 49
 Ceratostomella piceaperda 58
 Cercospora 778
 Chaetocerotostoma 416; hispidum 416; **longirostre** 417, 418
 Chaetocladium 353, 354; jonesii 354
 Chaetomium 38, 42, 49, 606, 729, 748; atrobrunneum 749; aureum 749; brasiliense 749; causiiformis 749; cristatum 749; cupreum 749; dolichotrichum 749; fibrilipilum 748; fuscicola 748; **flavum** 751, 752, 753, 755; **homopilatum** 749, 750, 751; gangligerum 749; globosum 31, 32, 748; microcephalum 749; minimum 749; molipilum 748; nigricolore 748; ochraceum 753; pachypodioides 749; seminudum 749; subterraneum 748; succineum 749; tetrasporum 749; thermophile 749; tortuosum 748; trilaterale 749; turgidopilosum 749; velutinum 749
 Chaetostylum 353, 354; fresenii 354
 Chionyphe 351
 Chitonomyces 10
 Chlamydomucor 351
 Chlamydomyces palmarum 729
 Choanephora 359-361, 703, 704, 707-712; conjuncta 704, 709-712; cucurbitarium 26-29, 704-712; infundibulifera 361, 703, 704, 711; persicaria 361; simsonii 704, 710; trispora 707, 708, 711
 Choanephorella 361
 Chordostylum 351
 Chytridium 551; **mucronatum** 546, 548, 552; olla 554; perniciosum 552
 Circinella 193, 350; angarensis 195, 199, 200; aspera 195, 197, 198; chinensis 200, 201; conica 195, 198; glomerata 193, 209; **linderi** 194, 195, 205, 206; minor 195-199; minor v. asperior 199; mucoroides 195, 196, 200, 201; muscae 194-210; nigra 201-203; rigida 195, 196, 205; simplex 195, 196, 204; spinosa 193, 201, 203; sydowi 201, 203, 208; tenella 208; umbellata 193-199, 202, 209, 210, 350; umbellata v. moreliae 198
 Circinumbella 193, 194, 350
 Cladosporium 34, 38, 39, 42, 45, 47-49; cladosporioides 39, 49; herbarum 39, 47, 49, 256; macrocarpum 39, 49
 Clathrosphaera spirifera 93
 Clitocybe 148, 902, 906; sect. Bulluliferae 906; adirondackensis 902; adirondackensis v. **wernerii** 907, 908; **augustinensis** 766; caespitosa 902, 906, 907; candicans 905; catina 907; gallinacea 906; hydrogamma 905, 906; hydrogamma v. **wernerii** 907; illudens 648, 653, 657; **kalulensis** 765, 766; **kühneri** 902, 906; monadelpha 648, 652, 658; phyllophila 907; **subulifera** 767
 Coccidiascus ligeri 799
 Coccidothis 515, 523; sphaeroidea 512
 Coccostroma 152
 Cochlonema 377; bactrosporium 377; cylindricum 377; **explicatum** 371, 375, 376; pumilum 377
 Coemansia 355-357; reversa 357
 Coemansiella 356
 Cokeromyces 353, 354; recurvatus 354
 Coleroa 522
 Colletotrichum 149, 743; graminicola 259, 844; lineola v. pachyspora 149; orchidearum 743
 Collybia **albelloavellanea** 767; iocephala 769; **paranaguae** 765, 768; platyphylla 657; radicata 648, 654, 661; **syringea** 768; trinitatis 768; velutipes 648, 653, 657, 658
 Comatricha 609
 Coniophora cerebella 280; puteana 280
 Coniothyrium 38, 42, 49; psammae 254, 255
 Conocybe 575
 Cookeina 150
 Coprinus 270, 271, 585, 647; atramentarius 648, 654; comatus 648, 654; lagopus 318, 322; radians 648, 652, 658
 Coronella 356
 Coronophora 527
 Corticium 408
 Cortinari 649, 654, 657, 658; acutus 572; armillatus 648, 652, 658, 661
 Corynetes 846, 849; arenarius 859; atropurpureus 858; purpurascens 858; robustus 858
 Crepidotus latifolius 649, 652, 658; **martini** 775; peziculae 776
 Crinipellis dipterocarpi 772; **foliicola** 771
 Cronartium 149; comandrae 149; filamentosum 149; stalactiforme 149
 Crucibulum vulgare 649, 653, 657
 Cryptococcus 801, 808, 809; albidus 803, 808; diffusus 803, 808
 Cryptosphaerella 737
 Cryptotheca 516; epiphylla 516
 Cucurbitaria 529
 Cudonia 846, 847, 864, 870; spathulata 869
 Cunninghamella 359, 360; echinulata 359
 Cunninghamia 361
 Curvularia geniculata 252, 841

- Cyathus gayanus* 266; *limbatus* 268; *poepigii* 267, 268; *stercoreus* 268
Cylindrocarpon ehrenbergii 254, 256, 257
Cystopage 365, 387; **ellipsospora** 364, 379, 381, 383, 385, 387; *intercalaris* 381, 383, 385; *lateralis* 381, 385; **sphaerospora** 364, 382, 383, 384, 385, 387; *subtilis* 381, 383, 385
Dacrymyces fragiformis b. *carpinea* 892
Daedalea quercina 280, 284-287, 290, 296
Daldinia 893
Dangeardia 547, 549; **laevis** 547-549; *mammillata* 549
Darluc 255; *filum* 254
Debaryomyces 800
Delastreopsis 428
Delortia 93; *palmicola* 93
Dematium 44
Densocarpa 428
Diaporthopsis 153
Dicoccum 361; *asperum* 361
Dicranophora 350, 353; *fulva* 350
Dictyotrichiella 523
Didymium 723, 725-727; *iridis* 714; *nigripes* 715, 725
Didymosphaeria 522
Didymotrichiella 523
Dimargaris 362
Diplorhynchus 91, 92; *biloba* 92
Diplosthephanus 670
Discella platani 398
Discula platani 398
Dispira 354, 355, 362; *cornuta* 355
Dissophora 357, 358; *decumbens* 358
Dolichocarpus chilensis 524
Dothidea 392, 519-521; *insculpta* 519; *natans* 519
Dothiora 518, 758, 760; *subtropica* 758
Dothiorella 392
Drepanispora 100
Drepanoconis 92, 94; *anguisporus* 94; *larvaeformis* 94
Drepanospora 100; *pannosa* 100
Drosophila subatrata 30

Eichleriella 408, 409
Eidamella spinosa 543
Ellisiidothis 522
Elsinoë 104, 516, 528; **magnoliae** 104; *mimosae* 107
Emericella 669-672, 678, 680, 681, 686; *nidulans* 676, 679, 680; **quadrilineata** 674, 680; **rugulosa** 676, 680; *variecolor* 669, 676, 678-680; *variecolor* v. **astellata** 679; *variecolor* v. **variecolor** 679
Enarthromyces 4

Endoconidiophora 61; *coerulescens* 61, 65, 66
Endogone 51-57, 274, 621; *fasciculata* 53-57; *pulvinata* 53, 55, 57; *sphagnophila* 54; *vesiculifera* 630, 631
Endoxyla 153
Enerthenema berkeleyanum 608; *papillatum* 609; *papillatum* v. *syncarpon* 608; *syncarpon* 608-610
Entoloma 147
Epidermophyton floccosum 664, 666
Epithele 408
Eremascus 68
Erysibe communis 424; *communis* α *leguminosarum* 424
Erysiphe artemisiae 696, 699; *cichoracearum* 422, 688; *cichoracearum* f. *euhieracii* 695; *cichoracearum* f. *scorzoneriae* 695; *communis* 423, 424; *communis* v. *leguminosarum* 424; *depressa* 696, 699; *fischeri* 699; *galeopsidis* 423; *graminis* 261, 423, 842; *horridula* 696, 699; *lamprocarpa* 699; *montagnei* 696, 699; *pisi* 423; *polygoni* 423, 424, 698; *polyphaga* 688, 697-699; *salviae* 699; *valerianae* 699
Escherichia coli 31, 32
Eupenicillium crustaceum 670
Eurotium 669-673, 678, 681, 686; *amstelodami* 674, 677; **carnoyi** 675, 677; *echinulatum* 675, 676; *herbariorum* 673, 674; *medium* 677; *repens* 674-677
Euryancale obliqua 373, 377; *saccio-spora* 379
Euzodiomyces 4, 6
Everhartia 93, 102; *candida* 102; *hymenuloides* 102; *lignitalis* 102
Excipula 393; *diapensiae* 389, 393, 401

Favolaschia dealbata 763; *pygmaea* 763
Favolus canadensis 649, 653
Filiariomyces 4
Fomes 213; *albogriseus* 215, 219; *amarus* 215; *annosus* 213, 215, 218, 280, 284-287, 290, 292, 295, 298; *auberianus* 213-215, 218, 220; *badius* 223; *bistratosus* 216; *calvescens* 222; *chilensis* 222; *cinereus* 217, 222; *con-natus* 213, 214, 216, 220; *contrarius* 215, 216; *crocitinctus* 222; *demidoffii* 222; *doehmius* 213, 214, 216-218, 221; *ellisianus* 216, 217; *endotheius* 222; *excavatus* 223; *extensus* 223; **feei** 213, 214, 217, 218, 220; *fomentarius* 223, 280, 291; *fraxineus* 213, 214, 217, 218; *fraxinophilus* 214, 216, 217; *geotropus* 215, 216, 217, 222, 280, 297; *hemileucus* 214, 218; *igniarius* 223, 317; *incrustus* 218; *juniperinus* 223; *korthalsii* 223; *laminatus* 218, 220;

- laricis 215, 218, 219; ligneus 213, 214, 218, 219; lignosus 216; linteus 222; marginatus 219; martius 219; melanoderma v. tomentosus 223; melanoporus 217, 222; meliae 280; **nobilissimus** 213, 214, 219; officinalis 213, 215, 218, 219, 280, 281, 292, 294, 299; ohioensis 214, 219, 221; pini 280; pini-cola 213, 215, 219, 220, 222, 317; populinus 216, 220; portoricensis 223; praerimosus 223; pseudosenex 223; roburneus 223; roseus 213-215, 220, 221; rubritinctus 214, 218, 220; rufo-atratus 223; rugulosus 223; sagraeanus 213, 214, 217, 221; sanjani 223; scutellatus 214, 219, 221; scutellatus v. novaboracensis 221; senex 223; subendotheus 223; subferreus 217, 221; subroseus 213, 214, 216, 220, 221, 280, 284-287, 296; sulcatus 213, 214, 221; swieteniae 222; turbinatus 219, 221; ulmarius 213, 214, 216-218, 221; unguatus 220, 222; **unitus** 213, 215, 222; weiranus 223
- Fragosphaeria* 900
- Fusarium* 38, 39, 42, 44, 49, 111, 403; **nivale** 253, 259, 841, 843
- Fusicoccum veronense* 398
- Galera cerina* 569; hypnorum 562
- Galerina* 557; sect. *Calyptrospora* 579, 581; **aberrans** 581, 582; **acicola** 562; **alioea** 574; **aliospora** 585, 586; autumnalis 589; brunneimarginata 559, 560; carbonicola 584; **cadacensis** 571, 572; **cerina** 561, 563, 564, 566, 567, 569, 570; **cerina** v. **ampullicystis** 563, 565, 567; **cerina** v. **brachycystis** 563, 568, 569; **cerina** v. **bresadolae** 564, 568; **cerina** v. **cerina** 563, 564, 566, 567, 569, 570; **cerina** v. **cerina** f. **bispore** 565; **cerina** v. **contorticystis** 563, 570; **cerina** v. **longicystis** 564, 567; **cerina** v. **luteovelata** 563, 566, 567; consobrina 588; cortinarioides 572; **decipiens** 577, 578, 581; **decipiens** v. **decipiens** 579; **decipiens** v. **separans** 579; **decipiens** f. **separans** 596; **dimorphocystis** 558, 559; **emmetensis** 580; **emmetensis** v. **intermedia** 581; **fallax** 561, 566, 570; **funariae** 594; **fuscobrunnea** 574; **graminea** 559; **heterocystis** 571, 584; **hypnorum** 559, 562, 578-581; **inconspicua** 592; **insignis** 586; **jaapii** 574; **jaapii** f. **mamillata** 576; **lacustris** 583; **laticeps** 573; **latispora** 591; **luteolosporema** 570; **mamillata** 574; **megalo-cystis** 588; **mesites** 587; **minima** 594, 595; **mollis** 590; **mycenoides** 575; **mycenoides** f. **mamillata** 576; **mycen-**
- opsis** 583; **naucorioides** 584, 586; **oreina** 592, 593, 594; **rudericola** 590; **rugisperma** 579; **semilanceata** 559; **sideroides** 582, 590; **sphagnorum** 571; **stylifera** 573, 574; **subannulata** 593; **subbadia** 572; **subceracea** 559; **subglabripes** 589, 590; **thujina** 595; **tibiocystis** 571, 572; **triscopa** 573, 587; **tsugae** 586; **tundrae** 584, 586; **turfosa** 560, 570; **uncialis** 572, 588; **vac-cinii** 587; **vinaceobrunnea** 573; **vexans** 583, 584
- Ganoderma applanatum* 649, 653
- Gelasinospora* 153; *tetrasperma* 494
- Geoglossum* 846, 849-851, 853, 859; **alveolatum** 846, 850, 851, 853; **atro-purpureum** 857; **cucullatum** 873; **fallax** 850, 859; **intermedium** 850; **irregularare** 861, 863; **luteum** 856; **microsporum** 857; **olivaceum** 855; **pistillare** 857; **rufum** 856; **viride** 853; **vitellinum** 863
- Gibbera* 522
- Glaziella vesiculosa* 630
- Glomastix convoluta* 31, 729
- Gloeoglossum* 846
- Gloeosporium* 392, 396, 743; **aquifolii** 396
- Glomerella* 152; **cingulata** 311
- Glomerula* 349
- Gloniopsis brevisaccata* 524
- Glonium stellatum* 512, 521, 524
- Gnomonia veneta* 398
- Gnomoniella* 153
- Gonapodya polymorpha* 555; **prolifera** 555
- Gonatobotrys microspora* 360
- Gongronella* 357, 358; **urceolifera** 358
- Grandinia* 408
- Graphium* 61, 65
- Grosmania* 58, 65; **penicillata** 59; **picea-perda** 59; **polonica** 59; **repens** 59
- Guignardia* 152, 522, 739; **citricarpa** 738; **microsticta** 739; **traversi** 739
- Gymnoascus uncinatus* 534, 536
- Gymnomitrula* 871, 872; **abietis** 873; **gracilis** 873
- Hanseniaspora* 801, 807, 809; **melligeri** 807; **uvarum** 803, 807; **valbyensis** 802, 807, 808
- Hansenula* 800, 801, 807, 809, 810; **angusta** 802, 803, 807
- Haplosporidium* 357, 358; **bisporeale** 358; **parvum** 55
- Harposporium diceraeum* 379
- Haynaldia* 354
- Helicobasidium* 918; **compactum** 403; **corticoides** 918
- Helicocephalum* 91

- Helicoceras* 90, 92, 94; *celtidis* 94; *nymphaearum* 94; *oryzae* 94; *plantaginis* 94
Helicodendron 92, 93; *fuscum* 94; *hyalinum* 93; *giganteum* 94; *multicatenulatum* 94; *paradoxum* 94; *triglitzensis* 94; *tubulosum* 93, 94; *westerdijkiae* 94
Helicoma 91, 92, 96; *ambiens* 98; *anastomosans* 96; *asperothecum* 98; *atroseptatum* 98; *candidum* 99; *conicodentatum* 98; *curtisii* 98; *fasciculatum* 98; *inflatum* 96; *intermedium* 97; *limpidum* 97; *maritimum* 96; *microscopicum* 96; *minutissimum* 96; *monilipes* 97; *morgani* 97; *muelleri* 98; *olivaceum* 97; *palmigenum* 97; *phaeosporium* 99; *perelegans* 97; *polysporum* 97; *proliferans* 98; *recurvum* 91, 92, 99; *repens* 97; *roseolum* 96; *salinum* 96; *simplex* 96; *stigmatum* 96; *taenia* 91, 99; *tenuifilum* 97; *velutinum* 99; *violaceum* 97; *westoni* 98
Helicomina 92; *caperoniae* 92
Helicomycetes 92, 99; *albus* 99; *ambiguus* 99; *bellus* 99; *colligatus* 99; *elegans* 91; *fuscoscopus* 99; *roseus* 91, 99; *roseus* v. *major* 91; *scandens* 90, 99; *tenuis* 99
Helicoon 92, 94; *auratum* 95; *ellipticum* 95; *farinosum* 95; *fuscosporum* 95; *pluriseptatum* 95; *politulum* 95; *sessile* 95; *thaxteri* 95; *reticulatum* 95; *richonis* 94
Helicosporium 92, 100; *albidum* 101, 102; *albo-carneum* 102; *aureum* 100; *brunneum* 102; *decumbens* 101; *elinorae* 100, 101; *ellisii* 102; *gracile* 100; *griseum* 101; *guianense* 100; *hendrickxii* 101, 274; *herbarum* 102; *insuetum* 100; *lindneri* 100; *lumbrioides* 100, 101; *lumbriopsis* 101; *nematosporium* 100; *pallidum* 101; *panacheum* 100; *phragmitis* 101, 102; *populi* 102; *prasinum* 102; *pulvinatum* 102; *serpentinum* 100, 101; *vegetum* 100
Helicostilbe 90; *cantareirensis* 90; *helicina* 90; *simplex* 90
Helicostylum 193, 208, 353, 354; *elegans* 354; *glomeratum* 209; *moreliae* 195, 198; *muscae* 201, 203
Helminthocarpon 516
Helminthosporium 38, 42, 44, 49; *calamagrostidis* 836; *cyclops* 260; *flagelloideum* 268; *tritici-repentis* 259; *turcicum* 835, 836
Helote 849; *longispora* 851
Hemiarctia 725; *clavata* 714
Hemitrichia 726; *clavata* 714
Hendersonia 256, 836; *crastophila* 255, 256, 836; *culmicola* 252, 256
Herpocladia 358
Herpocladium 357, 358; *circinans* 358
Herpomyces 11
Herpotrichiella 523
Heterochaete 408, 409
Heterosporium *avenae* 259; *phlei* 259
Heyderia *cucullata* 873
Hildebrandiella 362; *echinocarpa* 362
Histoplasma *capsulatum* 506, 509
Hobsonia 93, 102; *gigaspora* 102; *mirabilis* 102
Hohenbuehelia *nigra* v. *microspora* 769; *petaloides* 770; *pyncnophylli* 770
Holtermannia 408
Humicola 748; *fuscoatra* 755; *grisea* 755; *nigrescens* 754, 755, 756
Hyalothyridium *sorghicola* 835
Hydnum *pulcherrimum* 280, 284-287, 290, 292, 295
Hydrophora 351
Hypholoma 147, 148, 647; *incertum* 649, 653; *perplexum* 649, 653
Hypomyces 606, 608
Hysterographium *minutum* 524

Isoachlya 122; *glomerata* 122-124, 128; *intermedia* 122, 126-128; *itoana* 122-124, 128; *subterranea* 122-128; *unisporea* 122, 126, 128

Johansonia 515

Kainomyces 6
Keithia 512; *juniperi* 512
Kickxella 355, 356; *alabastrina* 356
Klebsiella *pneumoniae* 31
Kloeckera 800, 801, 807-810; *apiculata* 802, 803, 807, 808; *lindneri* 808; *magma* 807
Kloeckeraspora 807; *apiculata* 807; *osmophila* 807; *uvarum* 807

Laaseomyces 900
Laboulbenia 1-9; *blanchardi* 11; *chaetophora* 7; *fasciculata* 11; *formicarum* 3, 5; *gyrinidarum* 7; *hagenii* 5
Lactarius 54
Laestadia *traversi* 739
Lagenidium *closterii* 556
Lasiobotrys 522
Lasiopharia *elinorae* 100, 101; *nematospora* 100; *pezizula* 98
Lecanidion 512, 515, 523
Lentinus *degener* 30; *lepideus* 280, 281, 284-287, 290, 295; *tigrinus* 280, 284-287, 292, 295, 297, 298
Lentodiellum *concauum* 766
Lenzites *sepiaria* 280; *striata* 280; *trabea* 280, 284-287, 290, 292, 295-298

- Leotia lubrica* 648, 653
Lepidothiora 759; *elliptica* 760
Lepiota morgani 649, 653, 658
Lepista glabella 767
Leptodothiora 519
Leptoglossum 850; *fumosum* 857; *latum* 859
Leptographium 58, 59, 61, 65; **engelmannii** 59, 60, 66; *lundbergi* 59; *repens* 59
Leptosphaeria 44, 164, 175, 250, 529, 832; sect. *Nodulosphaeria* 175; *cavannesii* 521; **muirensis** 249, 250
Lespiaultinia 428
Lichtheimia 349
Ligniera vasculorum 120
Linderina 356; *pennispora* 356
Linospora subtropicalis 735
Loculoascomycetes 512
Lophotrichus 416
Lycoperdon gemmatum 649, 652, 657

Macrosporium 822, 824; *parasiticum* 822
Magnusia 26, 900
Marasmiellus candidus v. *setulosus* 774; **defibulatus** 772; **echinocephalus** 773; **septicoides** 773
Martensella 356, 357; *pectinata* 357
Masonia 761, 762; *chlorophorae* 761
Massartia 362; *javanica* 362
Mastigosporium rubricosum 257, 842
Melanospora episphaeria 606
Melidium 354
Memnoniella echinata 31, 32, 729
Merulioportia 408
Merulius 408; *americanus* 279, 280, 291-293, 317; *himantoides* 317; *lacrymans* 923
Mesniera 522
Metasphaeria culmifida 253
Microglossum 846-871; *arenarium* 850, 851, 859, 860; *atropurpureum* 847, 851, 854, 857, 858; *contortum* 855; *fumosum* 847, 851, 854, 857; *longisporum* 846, 850-854; *obscurum* 855; *olivaceum* 847, 851, 853, 855; *pistillare* 857; *robustum* 858; *rufum* 847-857; *viride* 848-855, 871
Micromyces 190; *ovalis* 546; *ovalis* v. **giganteus** 546, 548
Micropeltis 732; **bakeri** 731, 732
Microsphaera astragali 423
Microsporium 341; *audouinii* 340, 666; *canis* 340, 664, 666; *gypseum* 506, 509, 664, 666
Microstoma 151
Microthecium 608; *episphaerium* 606
Microthyrium culmigenum 250
Mindenella spinospora 555
Mitula 846, 847, 849, 861, 871, 872, 875; *abietis* 847, 852, 871-875; *ber-*
mudiana 855; *brassicae* 875; *cucullata* 871, 873; *gracilis* 852, 870-873; *irregularis* 861, 863, 871; *luteola* 861; *morchelloides* 870-872, 874; *musciicola* 871, 873; *paludosa* 847, 852, 870-874; *phalloides* 871, 872; *pusilla* 871, 873; *sclerotipus* 875; *sclerotiorum* 875; *shiraiana* 875; *vitellina* 863, 871
Mitrulioopsis 864; *flavida* 865
Monascus 241
Monoblepharis macrandra 554; *polymorpha* 555
Monochaetia 920
Monotospora 755; *daleae* 260, 755; *oculta* 260
Morchella crassipes 648, 652, 657, 658; *deliciosa* 648, 652; *esculenta* 648, 653, 657; *hybrida* 648, 650, 653, 654, 658, 660, 661
Mortierella 55, 357, 358, 361; *polyccephala* 358
Mucor, 55, 193, 205, 208-210, 347-354, 358, 359, 362, 638; subg. *Circinella* 198, 203; *angarensis* 199, 200; *caninus* 350; *laxorhizus* 203, 208; *ramannianus* 477; *simplex* 204; *spinulosus* 201, 203; *tenellus* 208; *umbellatus* 195, 198; *umbellatus* v. *asperior* 195, 198
Mullerella 522
Muratella 360
Mycena leaiana 649, 652; *psammicola* 563; *syringae* 769
Mycobacterium smegma 30, 31, 32
Mycocladus 349
Mycoderma vini 807
Mycosphaerella 518, 529, 734; *berberides* 519; *calceoli* 734; **cattleyae** 732, 733; *deschampsiae* 250, 256, 258; *tulasnei* 255
Mycotypha 359; *microspora* 359
Myiocopron 522
Myliopsis 891; *carpinea* 892; *langloisii* 891-893; **marmorata** 892, 893
Myriangium 516, 528; *duriae* 528
Myrothecium verrucaria 31
Mytilidion resinicola 524; *tortile* 524
Myxotrichum 523, 578; *chartarum* 534; **conjugatum** 881, 883, 884-889; **emmonsii** 539, 540-544, 878, 881, 885, 887, 889; *murorum* 534; *johnstoni* 885; *spinosum* 885; **thaxteri** 878, 880-889; *uncinatum* 533, 878, 886-889
Myzocyttium megastomum 556; *proliferum* 556

Naematelia encephala 894
Naematoloma 148
Naucoria 584
Naumoviella 357, 358; *nivea* 357
Nematostigma obducens 518
Nephrochytrium appendiculatum 555

- Neurospora 153, 315, 422, 471, 494, 825;
 crassa 477, 494; *tetrasperma* 494
 Nigrospora 38, 42, 49; *oryzae* 260
 Nocardia 425, 427
 Nowakowskiella ramosa 555

 Oidium 48, 698
 Oligonema 714
 Olpidium bryopsidis 636; endogenum
 553; entophyllum 553; gregarium 554;
 hyalothecae 553; saccatum 554
 Omphalia 906; chrysophylla 649, 652,
 656-658; hydrogramma 906
 Oospora 38, 42, 49, 801; *lactis* 802, 808
 Ophiobolus 735; graminis 261
 Ophiocladium hordei 839
 Ophiodendron 93; *laeooni* 93
 Ophiodothella 735; **orchidearum** 734
 Ophiostoma 61; **bicolor** 63, 64-66;
 galeiformis 65; *ips* 65; **truncicola** 62,
 63, 65, 66, 274
 Ovularia 840; *baldingeriae* 839; *holci-*
 lanati 839; *hordei* 839, 840; *lolii* 839;
 pulchella 839; *pulchella* v. *agropyri*
 839; *pulchella* v. *lolii-italici* 839; *pu-*
 silla 257, 258, 839-841
 Oxydantia 408
 Oxyporus nobilissimus 219

 Pachyella 151; *clypeata* 151
 Panellus **mirabilis** 770, 771
 Panus rudis 649, 653
 Papularia 38, 42, 49
 Paranthostomella 730; **microspora** 735
 Parasitella 350; *parasitica* 350
 Parodiella 522
 Parodiellina 518
 Parodiopsis 518
 Pellicularia 271, 272; *filamentosa* 404
 Penicillium 38, 39, 42, 44, 48, 65, 233,
 646, 657, 669, 681, 685, 780; *asperum*
 685; *avellaneum* 682; *bacillosporium*
 684; *chrysogenum* 429; *glaucum* 670,
 685; *helicum* 684; *javanicum* 685;
 levitum 673, 685; *luteum* 672, 681;
 megasporum 233, 234-237; *melinii*
 236; *nigricans* 236, 237; *notatum* 31,
 429; *rotundum* 683; *spiculisporum*
 683; *stipitatum* 684; *striatum* 682;
 vermiculatum 684; *wortmanni* 683
 Peniophora 408; *gigantea* 280, 284-287,
 290, 295, 298
 Pericystis 238, 362; *alvei* 238-243; *apis*
 238-243; *apis* v. *major* 243; *apis* v.
 minor 243
 Peridermium 149; *harknessii* 149
 Pestalotia 920; *pezizoides* 920
 Pestalotiopsis 920, 921
 Peziza badia 648, 652, 657, 658; *clypeata*
 151; *venosa* 648, 653, 658
 Phaedropezia 150
 Phaeomarasmius 775
 Phaeopezia 151
 Phaeoseptoria 255; *calamagrostidis* 255;
 festucae 252
 Phillipsia 150
 Philophora 349
 Phlepora muhlenbergiae 836, 837; *pa-*
 nici 837, 843
 Phlyctochytrium aureliae 554
 Pholiota 575, 775; *acericola* 649, 650,
 652, 653, 660; *mycenoides* 574; **nau-**
 corioides 774; *praecox* 649, 654
 Phoma 38, 42, 49, 821; *citricarpa* 738;
 grandicola 399
 Phomatospira 153
 Phomopsis 395, 399, 400, 740; *calanthes*
 740; *grandicola* 400; **orchidophila**
 733, 739
 Phycomyces 347, 350-352, 611; *blakes-*
 lecanus 31, 477, 482, 483, 489, 611,
 612; *nitens* 350; *theobromatus* 611,
 612
 Phyllachora 152, 392, 758, 759; *amphi-*
 dyma 758-760; *punctiformis* 399
 Phyllosticta 256, 739, 741, 836, 837;
 asperulae 399; *cymbidii* 739; *decipiens*
 399; *nigro-maculans* 742; *phalaenop-*
 sidis 739; *solitaria* 739; *sorghina* 835,
 836
 Phyllostictina 738, 739; *citricarpa* 739;
 murrayae 738; **pyriformis** 733, 737,
 738, 739; *vaccinii* 739
 Physalospora 152, 736; *camptospora*
 736; *cattleyae* 736; *malorum* 152;
 orchidearum 736; *wildemanniana* 736
 Physarella 725; *mirabilis* 715, 725, 726;
 oblonga 715
 Physarum 725
 Physisporus 415; *canescens* 412
 Physoderma 109, 120, 137-139; *aeschy-*
 nomensis 120; **commelinae** 110, 113,
 115, 117, 119, 120; **corchori** 109, 113,
 115, 117, 120
 Pichia 800, 801, 807, 810; *bispora* 807;
 farinosa 799; *membranaefaciens* 802,
 803, 807; *mrakii* 807
 Pilaira 351, 352
 Pilidium 400
 Pilobolus 207, 208, 351, 352; *lentigerus*
 351
 Piptocephalis 354, 355; *freseniana* 355
 Pirella 349; *circinans* 349
 Piricularia oryzae 26
 Placosphaeria 392, 398, 399, 401; **pla-**
 tani 398; *punctiformis* 399
 Platyglöea 892; *disciformis* 892; *tiliae*
 892
 Plectania 150
 Pleosphaeria semeniperda 260
 Pleosphaerulina 163, 164; *brisiiana* 163;
 oryzae 164; *rosicola* 163; *sepincola*
 164; *trifolii* 163

- Pleospora 44, 164, 518, 520-522, 529, 821, 824, 831-833; subg. *Pseudoplecella* 518; *armeriae* 821; *gaumannii* 164, 518; herbarum 821; macrospora 165; trichostoma 167, 259, 825, 833
- Pleosporales 520**
- Pleurae anserina* 494
- Pleurocollybia apoda* 769
- Pleurocystis* 351
- Pleurotellus fibulatus* 776; herbarum 776
- Pleurotus* 647; *corticatus* 317
- Plowrightia insculpta* 519
- Pluteus cervinus* 649, 653
- Podochytrium* 272; *clavatum* 273, 554; *cornutum* 273; ***emmanuelensis* 274**
- Podosporiella verticillata* 260
- Polyporus* 223, 647; *abietinus* 280, 894; *acerita* 215; *amarus* 215; *anceps* 280, 284-287, 290, 295, 298; *argillaceus* 410, 413; *betulinus* 280; *biformis* 894; *caryae* 410, *circumstans* 216, 217; *corrugatus* 220; *crocitinctus* 222; *elisianus* 217; *feei* 217; *ferreus* 217; *fumosus* 280, 281; *gilvus* 222; *hornodermis* 218; *immitis* 280; *induratus* 217, 218; *irregularis* 215, 218; *licnoides* 223; *lignosus* 218; *lucidus* 649, 654; *marginatus* 220; *meliae* 219; *microporus* 215, 216; *palustris* 280, 281, 284-287, 290, 295, 296, 298; *pennsylvanicus* 649, 652; *perpusillus* 219, 221; *plebius* v. *cubensis* 220; *ponderosus* 220; *rudis* 220, 221; *rufiflavus* 220; *schweinitzii* 280; *scleromyces* 220; *semisupinus* 410; *spraguei* 280; *subfulvus* 220, 221; *sulphureus* 279, 280, 292, 293; *supinus* 215, 220; *tenuiparietalis* 410; *tsugae* 649, 653, 657; *tulipiferae* 280, 284-287, 297, 298; *unitus* 222; *versicolor* 280; *vinosus* 220; *vulgaris* 410
- Polystigma* 152
- Polystomella* 529
- Pontisma* 638, 640; *lagenidioides* 640, 641
- Poria* 406, 408, 409, 812; *argillacea* 410; *buxi* 410; *canescens* 409-415, 812, 816; *caryae* 410, 413, 414; *cinerea* 414; *cocos* 280; *confusa* 410; *cordylina* 411, 414; *fendleri* 413, 414; *gilvescens* 414; *incrassata* 280; *monticola* 280, 284-287, 295, 298; *nigra* 280; *oleracea* 280; *palmicola* 218; *pilati* 411, 412, 414; *radiculosa* 279-281, 292, 293, 295, 299; *rancida* 410; *subacida* 280, 284-287, 290, 295; *vallantii* 280, 281, 292, 294, 299; *vincta* 216; *xantha* 280
- Prachtflorella* 360
- Pringsheimia* 163, 164; *rosarum* 163
- Proabsidia* 349
- Proactinomyces ruber* 427
- Protoabsidia* 349
- Protodontia* 408
- Protohydnum* 408
- Protomerulius* 408, 409; *brasiliensis* 409
- Psathyrella* 585
- Pseudoabsidia* 349
- Pseudohiatula panamensis* 772
- Pseudohydnum* 408
- Pseudomonas* 305; *aeruginosa* 31, 32
- Pseudoplea* 164, 165, 175, 518; ***gaumannii* 163, 164, 825, 833**
- Pseudosphaeria* 517, 520, 521
- Pseudotrachia* 832
- Psilocybe* 591
- Psilopezia* 150
- Ptychogaster* 891; *rubescens* 280, 281, 284-288, 290, 292, 295, 298
- Puccinia* 225; *bithynica* 225, 230, 231, 232; *caulicola* 228; *coronata* 844; *delavayana* 225, 226, 227; *glechomatis* 229, 231; *graminis* 255; *nevadensis* 225, 231; *nigrescens* 225-228; *nipponica* 225-229; *obtusata* 226; *poae-sudeticae* 254-257; *roesteliiformis* 232; *salviae* 225, 227, 229, 231; *salviae-glutinosae* 229; *salviae-interruptae* 225, 231; *salviae-runcinatae* 225, 227, 228
- Pullularia* 38, 39, 42, 48; *pullulans* 39
- Pycnidophora* 899, 900; *dispersa* 900, 901**
- Pycnopodium* 351
- Pyrenopeziza medicaginis* 390
- Pyrenophora* 164; *tritici-repentis* 259
- Pyronema confluens* 916
- Pythiomorpha gonapodyoides* 477, 482, 483
- Pythium* 387; *spinosum* 366, 371, 383; *ultimum* 366, 367, 375, 377
- Ramularia pulchella* 839; *pusilla* 839
- Ramulasporea holci-lanati* 839
- Reticularia* 715, 726; *lycoperdon* 715, 726
- Rhipidium americanum* 555
- Rhizidiomyces* 154
- Rhizidiopsis* 272; *emmanuelensis* 273, 274
- Rhizoctonia* 403, 625; *borealis* 406; ***choussii* 404, 405-407; monilioides 406; repens 406; solani 403, 404, 406; subepigea 407; subtilis 406**
- Rhizomorpha* 148
- Rhizomucor* 362
- Rhizophagus populinus* 620; *roseolus* 145; *theae* 620
- Rhizopus* 349, 362; *stolonifer* 349
- Rhodochytrium* 783
- Rhodophyllis* 147
- Rhodophyllus* 147, 148, 149

- Rhodotorula 801, 808; aurantiaca 802; glutinis 329-331, 335, 337, 802, 803; glutinis v. rubescens 803; mucilaginosa 802, 803, 808; mucilaginosa v. carboni 808
 Rhopalomyces 359, 360; cucurbitarum 361
 Rhynchosporium orthosporum 259; secalis 841, 844
 Richia 7
 Rickia 2
 Rosellinia bunodes 403
 Rosenscheldia 529
 Rozella monoblepharidis-polymorphae 554
 Russula variata 649, 654, 657, 658
 Rutstroemia 150
 Saccharomyces 22, 800, 801, 807-810; carlsbergensis 329-338; cerevisiae 23, 26, 31, 329, 330, 334-337, 477, 801, 802, 809; cerevisiae v. ellipsoideus 329-338; chevalieri 334; **dobzhanskii** 802, 805, 810; drosophilae 802; **drosophilum** 802-804-806, 810; farinosus 799; fermentati 801, 803; fragilis 801, 802, 804; marxianus 804, 806; pastori 807; **phasesporus** 802, 806, 810; veronae 801-804
 Saccothecium 163, 164; sepincola 163
 Saitomyces 360
 Saksenaea 348; vasiformis 348
 Sarcoscypha 150
 Sarcosoma 151
 Sartorya 670-672, 678, 681, 686; fumigata 676, 678
 Schizosaccharomyces pombe 13-24
 Schizothyrella 395
 Scirrha 529
 Scitovszkyia 351
 Scleromitula 875
 Sclerophthora 179; macrospora 177-183
 Sclerospora 177-183; andropogonis-sorghii 177-183; graminicola 177-183; graminicola v. andropogonis-sorghii 177; macrospora 177, 179, 182; sorghi 177
 Sclerotinia 875; fruticola 33; shiraiana 875; trifoliorum 875; tuberosa 648, 652, 657
 Sclerotiopsis 400; concava 400
 Scolecopeltidium 731, 732; bakeri 731
 Scolecopeltis 731, 732; bakeri 731, 732; tropicalis 732
 Scolecotrichum 260; graminis 843, 844
 Scortechinia culiciteila 527
 Scortechiniella similis 527
 Scutellinia colensoi 151
 Sebacina 408, 409
 Selenophoma 164, 253, 741; donacis 253, 844; donacis v. stomaticola 253, 254, 842; everhartii 252, 254, 842; obtusa 254, 842
 Septocarpus 274
 Septogloeum oxysporum 256
 Septonema **intercalare** 744; orchidophilum 745, orchidophilum v. **longisporum** 745; toruloides 744
 Septoria 164, 253, 741, 742, 838, 843; avenae 250, 260, 261, 839; calamagrostidis 251, 252, 256, 260; gramineum 251, 252, 838; gryllii 251, 252; infuscans 838; nodorum 250, 252, 256, 837, 843; orchidearum 742; oudemansii 250, 251, 838; passerinii 258; posekensis 741, 742; **selenophomoides** 733, 740, 742; tandilensis 837, 842, 843; tenella 251, 843; thelymitrae 742
 Sigmoidomyces 359, 360
 Sirexipula 395, 401; **hiemalis** 395
 Sirolpidium 633; bryopsidis 638, 640; **zoophthorum** 634, 639, 641, 642-644
 Siropatella 398
 Sordaria 153, 748
 Spathularia 846-849, 864, 865; badipes 868; flava 847, 864-869; flava v. alpestris 867, 868; flava v. **brevispora** 862, 866, 867; flava v. **flavida** 865, 866, 867; flava v. **longispora** 862, 867; flava v. **minima** 868; flava v. **neesii** 868; flava v. **ramosa** 847, 852, 860, 862, 864, 866; flava v. **tortuosa** 860, 866; minima 866-868; neesii 867, 868; nigripes 868; rufa 868; **spatulata** 862, 864, 865, 869, 870; velutipes 847, 848, 852, 862-869
 Spermosporea subulata 251-257; subulata f. ciliata 257
 Sphaeloma magnoliae 104
 Sphaeria allii 821; herbarum 821; intermixta 163; sepincola 163
 Sphaeroderma 608; epimyces 606; episphaeria 606
 Sphaeronema 38, 42, 49
 Sphaerotheca castagnei 698; fuliginea 698; humuli 423; humuli v. fuliginea 423
 Sphaerulina intermixta 163
 Spicaria 38, 42, 49
 Spicularia 602; icterus 602, 604, 605; terrestris 602, 603
 Spinalia 355, 362
 Spinellus 349; fusiger 349
 Spirosphaera 92; floriforme 92
 Sporocytophaga 635
 Sporodinia 344, 348, 350; grandis 26, 348
 Sporoneuma 389; asperulae 399; cameliae 390, 394, 396, 397, 401; campanulae 392, 397, 398; castanea 400; catalpae 389, 400; **diapensiae** 393,

- 397, 401; dubium 400; epiphyllum 400; **fraxini** 391, **393**, 401; glandicola 391, 399, 400; guepini 400; hiemale 395, 397, 401; ilicis 394-396; laricinum 391, 396, 401; nigrificans 400; obturatum 400; oxycocci 389, 392-394, 396, 400, 401; pallidum 398, 401; platani 391, 398, 401; phacidioides 389-391, 396, 399, 401; provinciale 401; pulvinatum 400; punctiforme 394, 397-399; quercicola 400; rameale 394, 399; robiniae 401; violae 399; wallrothii 401
- Sporormia 38, 42, 44, 49, 833
- Sporotrichum schenckii 489
- Spragueola 846, 847, 849, 861, 871; americana 861, 863; irregularis 847, 848, 860, 861, 863; vitellina 861, 863
- Stachybotrys 729
- Stagonospora 253; agrostidis 252, 839; arenaria 256, 839; insularis 839; intermixta 837-839; simplicior 253; vexatula 252
- Staphylococcus aureus 31, 32
- Stemonitis fusca 715, 725, 726
- Stemphylium 38, 39, 42, 44, 48, 824; botryosum 824; consortiale 31
- Stereum 408; hirsutum 894; murrayi 155
- Sterigmatocystis 678, 681; nidulans 670, 679
- Stigmatea geranii 521
- Stigmatomyces baeri 8
- Stirtonia 516
- Streptomyces 42, 49, 420, 421
- Stylopaga 245; **grandis** 246, **247**; hadra 247; leiohypha 247; rhynchospira 247
- Syncephalastrum 354, 355, 422; racemosum 355
- Syncephalis 354, 355; cornu 355
- Synchytrium 130, 134, 137, 138, 185, 190; subg. Eusynchytium 137; subg. Mesochytium 137, 139, 185; subg. Microsynchytrium 137, 185, 190, 191; subg. Pynochytium 137; achyrocines 134; alpinum 189; andinum 137; anomalum 137; aureum 137, 189; australe 134, 135, 185; brownii 134, 189, 190; cerastii 134; cinnamomeum 137; endobioticum 134, 185, 188; fulgens 134, 188, 189; globosum 189; laeve 189; lindquistii 134; longispinosum 189; mercurialis 189; modiolense 185, 190; potentillae 189; ranunculi 130; rubrocinctum 189; stellariae 134; succisae 134; wurthii 189; zygonii 185, 189
- Systremma natans 519
- Syzygites 344, 348, 349, 351; echinocarpus 362; megalocarpus 348, 350, 362
- Talaromyces** 671-673, **681**, 682, 686; **avellaneus** 674, **682**, 683; **bacillosporus** 684; **helicus** 684; **luteus** 676, **681**, 682-684; **rotundus** 674, 676, **683**; **spiculisporus** 683; **stipitatus** 684; **striatus** 674, 676, **682**, 684; **vermiculatus** 681, **684**; **wortmannii** 676, 682, **683**, 684
- Thamnidium 208, 353, 354; elegans 354
- Thamnocephalis 359, 360; quadrupedata 360
- Thielavia 900
- Thielaviopsis basicola 793
- Thraustochytrium proliferum 633
- Tieghemella 349
- Tilletia 43
- Torrendia 777
- Torula herbarum 744
- Torulopsis 799-801, 808; aerea 802, 803, 808; albida 808; bacillaris 802, 808; colliculosa 802, 808; fermentans 802, 808; granulosa 808; granulosa v. nitida 808; gropengiesseri 803, 808; pulcherrima 808; pulcherrima v. variabilis 808; rotundata 808; rugosa 808; rugosa v. fermentans 808
- Trabutia 152
- Trametes 222; arctica 215, 220; carnea 216, 221; malicola 280, 281; serialis 280
- Tremella 649, 653; aurantia 894; encephala 894; fragiformis $\beta\beta$ carpinea 892; marmorata 892-894
- Tremellodendron 408
- Trichia 714, 725, 726; fallax 714; pusilla 714
- Trichoderma 38, 42, 49, 421
- Trichoglossum 846
- Tricholoma 272; albobrunneum 649, 652; microsporum 769; pessundatum 767; sulphureum 906, 907
- Trichophyton acuminatum 339, 341, 476, 486, 492; cerebriforme 339, 487, 492; concentricum 666; crateriforme 339, 341, 486, 492; epilans 339; ferrugineum 666; flavum 487, 492; fumatum, 487, 492; megini 666; mentagrophytes 30-32, 475, 476, 483, 486, 487, 489-491, 506, 664, 666; plicatile 486, 492; rotundum 486, 492; rubrum 475, 476, 483, 486, 487, 489, 490, 491, 666; sabouraudii 339, 341; schoenleinii 666; sulfureum 339, 341, 476, 486, 492; tonsurans 339, 475, 666; tonsurans v. acuminatum 476; tonsurans v. crateriforme 342, 476; tonsurans v. epilans 339; tonsurans v. sabouraudii 339; tonsurans v. sulfureum 339, 476, 486; tonsurans v. tonsurans 339; umbilicatum 487, 492; violaceum 489, 666

- Trichosporon 801, 808; fermentans 803, 808, 809
Trichothecium 522
Trochophora 90, 92; **simplex** 90, 92
Troposporella 93; fumosa 93
Troposporium 93; album 93
Truncatella 920
Tryblidiella 512, 515, 523
Tubeufia helicomyces 101, 102
Typhula 841

Umbellula 602, 605; **terrestris** 603, 604, 605
Urophlyctis 120
Ustilago 43, 49; avenae 646; hordei 43; maydis 646

Valsaria 522
Valsella 737; alnicola 737; amphoraria v. padina 737; **pedicellata** 736
Venenarius 427
Venturia 522
Verpa conica 648, 652, 654, 656-658, 663
Verpatinia 847, 849, 874, 875; calthicola 870, 875, 876; duchesnayensis 876
Verticillium 38, 42, 49
Vestergrenia 152
Volvariella cnemidophora 777; **lepiotospora** 774

Wettsteinina 175, 517, 518, 520, 521

Xenosporella 92, 95; berkeleyi 95; larvalis 95; pleurococca 95; thaxteri 95
Xylaria polymorpha 647, 648, 650, 653, 657, 658, 660
Xyloma campanulae 392

Zodiomyces 4, 6
Zoopage 376; mitospora 387
Zygorhizidium willei 554
Zygorhynchus 350; heterogamus 350
Zygosaccharomyces 799, 809; marxianus 806; mrakii 806
Zythia 38, 42, 49